# Adfinity™

Walk-Behind Scrubbers











# A STATE OF THE PARTY OF THE PAR

A wrap-around safe paddle system makes it easier to control and maneuver the machine.



Tools-free removable brushes can be easily changed.



Easy access rear-port features include the solution tank fill, a large recovery drain hose with pinch-flow regulation, and the solution drain hose which also functions as a solution level indicator.

## Easy-to-use, One-Touch<sup>™</sup> control panel:



**Adfinity**<sup>™</sup> available with **EcoFlex**<sup>™</sup> **System** 

Walk-Behind Scrubbers

# Flexible cleaning on a compact platform.

The Advance Adfinity™ with EcoFlex™ System is the mid-sized scrubber that could. An easy-to-maneuver platform, interchangeable scrub decks and traction-drive operation let the Adfinity keep up with bigger machines and make it a crafty solution for cleaning hard floors. Get even more versatility with the Adfinity's EcoFlex System option, which offers One-Touch™, flexible scrubbing modes to take on any cleaning challenge.

### Ideal applications include:

- Routine scrubbing
- Ultra-light to heavy scrubbing
- Entryway cleaning
- Spill cleanup
- Grease removal
- · Grout and porous-surface cleaning
- Detergent residue removal (using water only)



Adfinity X20D pictured



### Green


EcoFlex elevates green cleaning to a new standard – one that promotes good health and hygiene in addition to environmental sustainability.

Efficient operation reduces all of the environmental impacts in cleaning—from the obvious (water, detergent) to the not-so-obvious (machine run-time and energy use).

### Clean

Maintaining a clean, healthy indoor environment for you and the people in your building is hassle-free with EcoFlex. Detergent use, pad pressure and flow rate are right at your fingertips.

Operators won't have to hesitate to make adjustments for higher sanitary standards, different surface types or unexpected cleaning challenges.



LOW-TRAFFIC AREA DIRTY ENTRYWAY HIGH-TRAFFIC HALLWAY POROUS FLOOR

### **Cost-efficient**

Flexibility means doing more with one machine. You'll save time, use fewer machines, and reduce water and detergent costs. Today's increasing demands for cost efficiency are tough to meet. Now you can do more with less.



Technical Specificat	ions		
Models	Adfinity™ X20D	Adfinity™ X20C	
Scrub Head Type	Disc 20 in (50.8 cm)	Cylindrical with debris hopper	
Deck Interchangeability	All deck types interchangeable – ALL MODELS		
Scrub Path	20 in (50.8 cm)	Dual 20 in (50.8 cm)	
	disc brush system	cylindrical brush system	
Drive System	0.3 hp (200 W) variable forward and reverse  Max speed 3.5 mph (5.6 km/hr), 16% gradeability – ALL MODELS		
Max Productivity	26,400 ft² (2,453 m²)	26,400 ft <sup>2</sup> (2,453 m <sup>2</sup> )	
@ 3.0 mph (4.8 km/hr)	, , , , , , ,		
Scrub Pressure (2 settings)			
Floating	50 lb (25 kg)	57 lb (26 kg)	
Locked	70 lb (32 kg	_	
Scrub Head Speed	170 rpm	570 rpm	
Solution Flow Rates			
Smart Solutions™	0.15 gal/min (0.55 L/min) – ALL MODELS		
variable up to	0.3 gal/min (1.1 L/min) – ALL MODELS		
Squeegee Width	29.9 in (75.9 cm)	29.9 in (75.9 cm)	
Dimensions (w/o squeegee)	L = 52 in (132 cm)	L = 49.2 in (125 cm)	
	W = 21.3 in (54 cm)	W = 22.4 in (57 cm)	
	H = 42.9 in (109 cm)	H = 42.9 in (109 cm)	
Weights			
Without batteries	244 lb (111 kg)	247 lb (112 kg)	
With batteries	350 lb (159 kg)	362 lb (164 kg)	
Voltage	24 V – ALL MODELS		
Power Source	(2) 12 V batteries (wet-acid and maintenance free available) – ALL MODELS		
Onboard Battery Charger	24 V wet/maintenance free compatible – ALL MODELS		
Solution Tank	14.5 gal (55 L) – ALL MODELS		
Recovery Tank	14.5 gal (55 L) – ALL MODELS		
Scrub Motor(s)	0.65 hp (480 W)	(2) 0.54 hp (400 W)	
Vacuum Motor	0.44 hp (330 W) – ALL MODELS		
Sound Level	65.8 dB A at operator's position – ALL MODELS		
Approvals	ETL, CSA, CE – ALL MODELS		
Certification	NFSI	-	
Part Number	56317335 w/130 Ah wet-acid batt.	56317331 w/130 Ah wet-acid batt.	
	56317336 w/98 Ah gel batt.	56317332 w/98 Ah gel batt.	

Specifications are subject to change without notice.







### Accessories and options:

- Variety of scrub brushes
- Polyurethane squeegee blades
- Integrated solution fill hose
- Hour meter kit
- Wet pick-up wand kit

- Scrub and vac kit
- 20 inch disc deck kit
- 20 inch cylindrical deck kit

14600 21st Avenue North Plymouth, MN 55447-3408 www.advance-us.com Phone 800-214-7700 Fax 800-989-6566

240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 www.nilfisk-advance.com Phone 800-668-8400 Fax 800-263-5111



Ask about our leasing options.

©2011 Nilfisk-Advance, Inc. Form L3227A 11-21-11

